













stage 1				
	11	5	1	
Minimum number of rounds:	11			
Targets:	5 IPSC Targets, 1 IPSC Popper			
Start position:	Competitor standing erect on mark, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Procedure:	After start signal engage all the targets from designated area			
Safety angles:	90 degrees left/right, High of top of the backtop			








stage 2				  	
	28			13	2
Minimum number of rounds:	28				
Targets:	13 IPSC Targets, 2 IPSC Poppers				
Start position:	Standing on mark				
Start position:	Competitor standing erect on mark, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard				
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied				
Safety angles:	90 degrees left/right, High of top of the backtop				







stage 3			  	
	22		10	2
Minimum number of rounds:	22			
Targets:	10 IPSC Targets, 2 IPSC Poppers			
Start position:	Standing on mark			
Start position:	Competitor standing erect on mark, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied Popper P1 activates moving target. All moving targets remains visible at the end of the movement.			
Safety angles:	90 degrees left/right, High of top of the backtop			








stage 4				
	24	11	2	
Minimum number of rounds:	24			
Targets:	11 IPSC Targets, 2 IPSC Poppers			
Start position:	Standing on mark			
Start position:	Competitor standing erect on mark, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied Popper P1 activates moving target. All moving targets remains visible at the end of the movement.			
Safety angles:	90 degrees left/right, High of top of the backtop			











stage 5				
	15	6	3	
Minimum number of rounds:	15			
Targets:	6 IPSC Targets, 3 IPSC Matal Plates			
Start position:	Standing on the mark			
Start position:	Competitor standing erect on mark, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Safety angles:	90 degrees left/right, High of top of the backtop			








stage 6		  		
	12	4	4	
Minimum number of rounds:	12			
Targets:	4 IPSC Targets, 4 IPSC poppers			
Start position:	Competitor standing erect anywhere, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Procedure:	After start signal engage all the targets from designated area Popper P1 activates moving target All moving targets remains visible at the end of the movement.			
Safety angles:	90 degrees left/right, High of top of the backstop			







stage 7				  	
	28			13	2
Minimum number of rounds:	28				
Targets:	13 IPSC Targets, 2 IPSC Poppers				
Start position:	Competitor standing erect on mark, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard				
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied				
Safety angles:	90 degrees left/right, High of top of the backstop				








stage 8			  	
	19		9	1
Minimum number of rounds:	19			
Targets:	9 IPSC Targets, 1 IPSC popper			
Start position:	Competitor standing erect on mark, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Procedure:	After start signal engage all the targets from designated area Popper P1 activates moving target All moving targets remains visible at the end of the movement.			
Safety angles:	90 degrees left/right, High of top of the backstop			











stage 9		  		
	12	5	2	
Minimum number of rounds:	12			
Targets:	5 IPSC Targets, 2 IPSC Poppers			
Start position:	Competitor standing erect on mark, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Procedure:	After start signal engage all the targets from designated area			
Safety angles:	90 degrees left/right, High of top of the backstop			







stage 10				
	12	5	2	
Minimum number of rounds:	12			
Targets:	5 IPSC Targets, 2 IPSC Poppers			
Start position:	Competitor standing erect on mark, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard			
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied			
Procedure:	After start signal engage all the targets from designated area Popper P1 activates moving target. All moving targets remains visible at the end of the movement.			
Safety angles:	90 degrees left/right, High of top of the backstop			



stage 11		  
	12	5      2
Minimum number of rounds:	12	
Targets:	5 IPSC Targets, 2 IPSC Poppers	
Start position:	Competitor standing erect on mark, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, muzzle pointing downrange with the fingers outside the trigger guard	
Firearms Ready Condition:	Loaded (Option 1): magazine filled and fitted chamber loaded hammer and/or sear cocked and safety catch applied	
Procedure:	After start signal engage all the targets from designated area Popper P1 and P2 activates moving targets. All moving targets remains visible at the end of the movement.	
Safety angles:	90 degrees left/right, High of top of the backtop	



stage 12				
	9	3	3	
Minimum number of rounds:	9			
Targets:	3 IPSC Targets, 3 IPSC poppers			
Start position:	Competitor standing erect on mark, firearm unloaded on the table			
Firearms Ready Condition:	Unloaded (Option 3): fixed magazine must be empty, detachable magazines removed must be empty. The action may be open or closed.			
Procedure:	After start signal engage all the targets from designated area Popper P1 activates moving target T1 All targets remains visible at the end of movement.			
Safety angles:	90 degrees left/right, High of top of the backtop			

